## NATIONAL INSTITUTES OF HEALTH WARREN GRANT MAGNUSON CLINICAL CENTER NURSING DEPARTMENT

**SOP:** Care of the Patient Requiring Noninvasive Intermittent Ventilatory Support (NIVS) and Tracheostomy Interface to Bilevel Positive Airway Pressure (BiPAP) and Continuous Positive Airway Pressure (CPAP) on the Non-ICU Areas

#### **Essential Information:**

• A Self-Instructional Program" for care of the patient with a variety of types of NIVS is located in a binder that can be found in Nursing Education and on the 11 West patient unit.

#### I. Assessment

## **Prior to Initial Application of Ventilator Support Device**

- 1. Review prescriber orders for NIVS
- 2. Airway for possible obstruction: i.e. edema of nasal passageway or pharynx, enlarged tongue, improperly fitting dentures, congenital abnormalities, and mucous plugging
- 3. Neurological status (example: Level of consciousness, orientation to person, place and time, ability to breathe and clear airway independently, choke and swallow reflexes, , and capability to express needs and communicate with staff)
- 4. Patient's/caregiver's understanding and cooperation about when and how to use NIVS
- 5. For any contraindications to NIVS (see reference 7, 1995 for self-instructional program) including:
  - a. severe upper airway obstruction
  - b. inability to spontaneously and independently clear copious secretions
  - c. worsening respiratory status evidenced by:
    - 1. need to increase the amount of delivered oxygen to maintain the pulse oximetry readings in the range ordered by the physician
    - 2. increasing CO2 levels
    - 3. increased work of breathing
    - 4. increasing mucous plugging
- 6. Assess interface (ex: nasal, facial, oral, or full face masks) for proper size and fit

### **Prior to each Application of Ventilator Device**

- 1. Assess patient's skin integrity and potential for sensitivity/reaction at sites of "patient/device interface" and intervene as appropriate Utilize protective equipment such as forehead spacers, head strap device, nasal pillows, and skin products (ex: duoderm) to relieve pressure on nasal bridge or other interface sites
- 2. Assess for previous history of complications (i.e. aspiration) and intervene as appropriate

## **During Application of Ventilator Device**

- 1. Absence of significant air leaks (small air leaks are acceptable)
- 2. Integrity of connections
- 3. Patient comfort with wearing device (minimal strap tension to maintain an air seal)
- 4. Signs indicating need for added humidity (increased airway plugging, thick secretions, & epistaxis)
- 5. Auscultate (if possible) patient's breath sounds for adequate ventilation

### **During Use of Ventilator Support Device**

- 1. Assess patient Q 1 hour for:
  - a. respiratory rate, depth, & effort
  - b. indications of respiratory insufficiency or distress (ex: restlessness)
  - c. pulse oximetery readings (required for pediatric patients)
- 2. Confirm rate, pressure(s), etc. are being provided as prescribed by the physician (see Appendix A)

#### After Equipment use

- 1. Assess patient for the number of hours of use and indications of inadequate therapy:
  - a. poor quality of sleep
  - b. nightmares
  - c. headache upon awakening
  - d. confusion
  - e. excessive daytime sleepiness
  - f. shortness of breath
- 2. Assess patient for complications of therapy:
  - a. gastric distention
  - b. skin irritation (nasal, chin, scalp, etc.)
  - c. nasal congestion
  - d. thick mucous secretions and /or plugs
  - e. epistaxis

#### **Prior to Admission**

Instruct patient/family/significant other to bring their NIVS equipment (ex: tubing, connectors, etc.) to the hospital

## **Prior to Initial Application of Ventilator Support Device**

- 1. Place patient in room close to nurses' station as possible
- 2. If ventilator support equipment is brought from patient's home:
  - a. Assess electrical safety:
    - 1. Verify absence of obvious electrical safety problems
    - 2. Contact BEIP to conduct electrical safety check of equipment as needed.
    - 3. If device does not pass visual or BEIP inspection, do not use equipment and notify physician and Service Supervisor
  - b. Equipment/Alarms:
    - 1. Note presence or absence of alarms:
      - a. If alarms are present, confirm that they can be heard outside of patient's room
      - b. If alarms are absent, consult with physician and respiratory therapist
      - c. If patient is dependent on NIVS, alarms are required (example: continuous pulse oximetry).
  - 3. For patients with improper sized interfaces, contact respiratory therapy or proper sizing of equipment (example: sizing gauges are available from Respiratory therapy to fit patients with proper mask size)
  - 4. Education
    - a. Provide patient/caregiver with instruction as needed for NIVS device. Note location of instructional aids for patients
    - b. Ensure that patient is well hydrated prior to application of NIVS device to decrease risk of plugging and epistaxis

# Prior to each Application of Ventilator Device

- 1. Verify suction and oxygen equipment is functional, age & size specific, and readily available in patient's room
- 2. Verify patient/caregiver can readily use nurse call system
- 3. Verify device settings (if visible) are as prescribed by physician and alarms (if present) are set appropriately. Consult with Respiratory Therapy for any discrepancies

#### **During Application of Ventilator Device**

- 1. Assist patient as needed with application of device using a calm confident approach Have caregiver assist with children to decrease anxiety
- 2. Position patient comfortably.
- 3. Apply NIVS device and trouble shoot as needed for problems such as excessive leaks, discomfort, etc.(see reference 7: 1995 self-instructional program)

# **During Use of Ventilator Support Device**

1. Respond immediately to alarms (if present) and intervene as appropriate

- 2. Assist with turning as needed
- 3. Notify physician and or respiratory therapist for equipment problems and complications

## **After Equipment use**

- 1. Correct any identified patient problems (ex: for patient with nasal dryness and congestion, Respiratory Therapy will be contacted about adding increased humidification to the airflow) See reference: 7, "Complications of Noninvasive Ventilatory Support".
- 2. Verify appropriate device maintenance, cleaning, and changing of disposable parts by Respiratory Therapy (see reference 7, 1995 for self-instructional program)

### **Preparing Patient for discharge**

- 1. Prepare patient for discharge as per Patient Teaching Plan: "Preparing your patient who requires NIVS for discharge" See reference #7
- 2. Remind patient to bring NIVS equipment for next hospitalization

#### III. Documentation

Document assessments and interventions including:

- a. Respiratory assessment including duration of therapy
- b. Hygiene and skin assessment
- c. Patient's response to therapy
- d. Functioning and maintenance of equipment as per standards
- e. Nursing interventions (ex: patients requiring repeated assistance with suctioning during NIVS and patient teaching)
- f. Equipment settings
- g. Complications

#### IV. References

- 1. American Association of Respiratory Care. (1994). AARC clinical practice guideline. Ventilatory circuit changes. <u>Respiratory Care</u>, 39: 797-802
- 2. Bucher, Linda, Melander, Sheila, "Critical Care Nursing", Saunders, 1999.
- 3. Curriculum Committee of the Association for Practitioners in Infection Control. (1988). <u>The APIC curriculum for infection control practice</u>. R.Berg (ed.) Vol. III. Kendall/Hunt: Dubuque, pp. 1286-1287.
- 4. American Respiratory Care Foundation, "Consensus Conference IV, Noninvasive Positive Pressure Ventilation", <u>Respiratory Care</u>, April 1997, Vol. 42, pages 364-369.
- 5. Fink, J., "Clinical Practice in Respiratory Care", Lippincott, 1999.
- 6. Hess, D., "Noninvasive Positive Pressure Ventilation: Predictors of Success and Failure for Adult Acute Care Applications", Respiratory Care, April 1997, Vol. 42, No. 4, pages 424-431.

- 7. Hill, N., "Complications of Noninvasive Positive Pressure Ventilation", <u>Respiratory Care</u>, April 1997, Vol. 42, No. 4, pages 432-442.
- 8. Knebel, "Noninvasive Intermittent Ventilatory Support Self-Instructional Program", January 1995. Located in the NIH Nursing Education Office on 7D37 and 11 West.
- 9. Knebel, A. et al, "A Guide to Noninvasive Intermittent Ventilatory Support" Heart and Lung, Vol. 26, No. 4, pages 307-316.
- 10. Pierson, D., "Noninvasive Positive Pressure Ventilation: History and Terminology", <u>Respiratory Care</u>, April 1997, Vol. 42, No. 4, pages 370-379.
- 11. Teague, G. "Pediatric Application of Noninvasive Ventilation" Respiratory Care, April 1997, Vol. 42, No. 4, pages 414-423.
- 12. Turner, R., "NPPV: Face versus Interface", Respiratory Care, April 1997, Vol. 42, No. 4, pages 389-393.

Approved:

# **Appendices:**

"Nursing Guidelines for Patients Receiving

Appendix A: NIVS Nursing Guidelines

Clare E. Hastings, RN, Ph.D. Chief, Nursing and Patient Care Services

Formulated: 6/01 Implemented: 10/95 Revised: 12/01